EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|----------|------|---|------------------------------|---------------------|---------|------------------|
| S1 | 2 | (("6785641") or ("6516293")).PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/09/20 11:37 |
| S2 | 67 | (int or (interactive network technology)).as. | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/09/20 11:41 |
| S3 | . 0 | (interactive and network and technology).as. | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/09/20 11:41 |
| S4 | 7 | (interactive and network).as. | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/09/22 17:12 |
| S5 | 1 | geotoolkit | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/09/20 11:43 |
| S6 | 22 | (interactive near2 network near2 technology) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/09/20 11:51 |
| S7 | 0 | wellschematic | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/09/20 11:51 |
| S8 | 477 | well schematic | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/09/20 11:53 |
| S9 | 727 | scalable vector graphics | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/09/20 11:53 |
| S10 | 0 | scalable vector graphics and bha | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/09/20 11:53 |
| S11 | 727 | scalable vector graphics | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/09/20 11:54 |
| S12 | 128 | scalable vector graphics and pars\$3 | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/09/20 12:05 |
| S13 | 2 | rockware.as. | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/09/20 12:05 |
| S14 | 18 | rockware | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/09/20 12:09 |
| S15 | 71 | landmark.as. | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/09/20 14:35 |

EAST Search History

| S16 | 624 | ((scalable near3 vector near3 graphic) or svg) and (drill or borehole or bha or assembly) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/09/20 14:36 |
|-----|-----|--|------------------------------|-----|-----|------------------|
| S17 | 26 | ((scalable near3 vector near3 graphic) or svg) same (drill or borehole or bha or assembly) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/09/20 14:38 |
| S18 | 68 | ((vector near3 graphic) or svg) same (drill or borehole or bha or assembly) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/09/20 14:38 |
| S19 | 1 | ("6785641").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/09/22 17:13 |

9/23/2006 10:20:08 AM C:\Documents and Settings\slo\My Documents\EAST\Workspaces\10710823.wsp

Page 2



Subscribe (Full Service) Register (Limited Service, Free) Login

Search: • The ACM Digital Library The Guide

vector graphics library scaling



THE ACM DIGITAL LIBRARY

Feedback Report a problem Satisfaction survey

Terms used vector graphics library scaling

Found 87,735 of 185,178

Sort results

results

relevance by Display expanded form

Save results to a Binder Search Tips Open results in a new

Try an Advanced Search Try this search in The ACM Guide

Results 41 - 60 of 200

Result page: previous 1 2 3 4 5 6 7 8 9 10

Relevance scale 🔲 📟 📟 📟

Best 200 shown

41 Status report of the graphic standards planning committee

window

Computer Graphics staff

August 1979 ACM SIGGRAPH Computer Graphics, Volume 13 Issue 3

Publisher: ACM Press

Full text available: pdf(15.01 MB) Additional Information: full citation, references, citings.

42 GEMM-based level 3 BLAS: high-performance model implementations and





performance evaluation benchmark

Bo Kågström, Per Ling, Charles van Loan

September 1998 ACM Transactions on Mathematical Software (TOMS), Volume 24 Issue 3

Publisher: ACM Press

Full text available: pdf(487.36 KB)

Additional Information: full citation, abstract, references, citings, index terms, review

The level 3 Basic Linear Algebra Subprograms (BLAS) are designed to perform various matrix multiply and triangular system solving computations. Due to the complex hardware organization of advanced computer architectures the development of optimal level 3 BLAS code is costly and time consuming. However, it is possible to develop a portable and highperformance level 3 BLAS library mainly relying on a highly optimized GEMM, the routine for the general matrix multiply and add operation. With s ...

Keywords: GEMM-based level 3 BLAS, blocked algorithms, matrix-matrix kernels, memory hierarchy, parallelization, vectorization

43 Column: Primitive functions for graphics in APL



D. S. Galbraith

April 1976 ACM SIGAPL APL Quote Quad, Volume 7 Issue 1

Publisher: ACM Press

Full text available: pdf(389.88 KB) Additional Information: full citation, citings

44 Lapped textures

Emil Praun, Adam Finkelstein, Hugues Hoppe

July 2000 Proceedings of the 27th annual conference on Computer graphics and